	Application No.	Applicant(s)
Notice of Allowability	09/938,250	SUZUKI, SATOSHI
	Examiner	Art Unit
	Justin P. Misleh	2612
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment filed December 9, 2005</u> .		
2. The allowed claim(s) is/are 2 and 4 - 9 (now renumbered 1 - 7, respectively).		
<ul> <li>3.</li></ul>		
2. Certified copies of the priority documents have been received in Application No		
Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Continue part received:		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Dat 08), 7. Examiner's Amendr	e

Application/Control Number: 09/938,250 Page 2

Art Unit: 2612

## **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on December 9, 2005 has been entered.

## Allowable Subject Matter

- 2. Claims 2 and 4-9 (now renumbered 1-7, respectively) are allowed.
- 3. The following is an Examiner's statement of reasons for allowance:

The closest prior art discloses and/or fairly suggests an image sensing apparatus including a image pickup device, an amplification unit for amplify and picked-up image signal, a temperature measuring unit for measuring a temperature, and a control unit for decreasing a gain when the measured temperature is higher than a predetermined temperature and increasing the gain when the measured temperature measured is lower than the predetermined temperature.

However, the closest prior art does not disclose or fairly suggest wherein the control unit additionally increases the gain when the measured temperature is lower than the predetermined temperature and a signal amount of the picked-up image signal is lower than a predetermined signal amount and further decreasing the gain when the measured temperature is lower than the

Application/Control Number: 09/938,250

Art Unit: 2612

predetermined temperature and the signal amount of the picked-up image signal is higher than

the predetermined signal amount.

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the

Examiner should be directed to Justin P Misleh whose telephone number is 571.272.7313. The

Examiner can normally be reached on Monday through Friday from 8:00 AM to 5:00 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's

supervisor, David L Ometz can be reached on 571.272.7593. The fax phone number for the

organization where this application or proceeding is assigned is 571.273.3000.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**JPM** 

February 17, 2006

Page 3

PRIMARY EXAMINER